

Iidaka, T., Okada, T., Murata, T., Omori, M., Kosaka, H., Sadato, N., Yonekura, Y.: Age-related differences in the medial temporal lobe responses to emotional faces as revealed by fMRI. *Hippocampus*, 12(3), 352-362, 2002.

Lewis, J.S., Connett, J.M., Garbow, J.R., Buettner, T.L., Fujibayashi, Y., Fleshman, J.W., Welch, M.J.: Copper-64-pyruvaldehyde-bis(N⁴-methylthiosemicarbazone) for the prevention of tumor growth at wound sites following laparoscopic surgery: monitoring therapy response with microPET and magnetic resonance imaging. *Cancer Research*, 62(2), 445-449, 2002,1.

Maruoka, N., Murata, T., Omata, N., Fujibayashi, Y., Yonekura, Y., Wada, Y.: Hypoxic tolerance induction in rat brain slices following 3-nitropropionic acid pretreatment as revealed by dynamic changes in glucose metabolism. *Neuroscience Letters*, 319(2), 83-86, 2002,2.

Oyama, N., Akino, H., Kanamaru, H., Suzuki, Y., Muramoto, S., Yonekura, Y., Sadato, N., Yamamoto, K., Okada, K.: ¹¹C-acetate PET imaging of prostate cancer. *The Journal of Nuclear Medicine*, 43(2), 181-186, 2002,2.

Oyama, N., Akino, H., Suzuki, Y., Kanamaru, H., Miwa, Y., Tsuka, H., Sadato, N., Yonekura, Y., Okada, K.: Prognostic value of 2-deoxy-2-[F-18]fluoro-D-glucose positron emission tomography imaging for patients with prostate cancer. *Molecular Imaging and Biology*, 4(1), 99-104, 2002,2.

Nagamachi, S., Jinnouchi, S., Kurose, T., Nishii, R., Kawai, K., Futami, S., Tamura, S., Matsukura, S.: Serial change in ¹²³I-MIBG myocardial scintigraphy in non-insulin-dependent diabetes mellitus. *Annals of Nuclear Medicine*, 6(1), 33-38, 2002,02.

Haruta, S., Kawai, K., Nishii, R., Jinnouchi, S., Ogawara, K., Higaki, K., Tamura, S., Arimori, K., Kimura, T.: Prediction of plasma concentration-time curve of orally administered theophylline based on a scintigraphic monitoring of gastrointestinal transit in human volunteers. *International Journal of Pharmaceutics*, 233(1-2), 179-190, 2002,2.

Kitagawa, Y., Nishizawa, S., Sano, K., Sadato, N., Maruta, Y., Ogasawara, T., Nakamura, M., Yonekura, Y.: Whole-body ^{18}F -fluorodeoxyglucose positron emission tomography in patients with head and neck cancer. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics*, 93(2), 202-207, 2002,2.

Tsuchida, T., Sadato, N., Nishizawa, S., Yonekura, Y., Itoh, H.: Effect of postprandial hyperglycaemia in non-invasive measurement of cerebral metabolic rate of glucose in non-diabetic subjects. *European Journal of Nuclear Medicine and Molecular Imaging*, 29(2), 248-250, 2002,2.

Takeuchi, R., Yonekura, Y., Matsuda, H., Konishi, J.: Usefulness of a three-dimensional stereotaxic ROI template on anatomically standardised $^{99\text{m}}\text{Tc}$ -ECD SPET. *European Journal of Nuclear Medicine and Molecular Imaging*, 29(3), 331-341, 2002,3.

Toyohara, J., Waki, A., Takamatsu, S., Yonekura, Y., Magata, Y., Fujibayashi, Y.: Basis of FLT as a cell proliferation marker: comparative uptake studies with [^3H]thymidine and [^3H]arabinothymidine, and cell-analysis in 22 asynchronously growing tumor cell lines. *Nuclear Medicine and Biology*, 29(3), 281-287, 2002,4.

Toyoda, H., Nishizawa, S., Shiozaki, T., Ueno, M., Konishi, J.: A simplified double-injection method to quantify cerebral blood flow and vascular reserve using iodine-123 IMP-SPECT. *Annals of Nuclear Medicine*, 16(2), 127-135, 2002,4.

Mizutani, A., Furukawa, T., Adachi, Y., Ikehara, S., Taketani, S.: A zinc-finger protein, PLAGL2, induces the expression of a proapoptotic protein Nip3, leading to cellular apoptosis. *The Journal of Biological Chemistry*, 277(18), 15851-15858, 2002,5.

Nakano, A., Yonekura, Y., Lee, J-D., Shimizu, H., Takahashi, N., Horikoshi, M., Okura, K., Tsuchida, T., Ueda, T.: Reversible defect of ^{123}I -15-(p-iodophenyl)-9-(R,S)-methylpentadecanoic acid indicates residual viability within infarct-related area. *Annals of Nuclear Medicine*, 16(3), 183-187, 2002,5.

Naito, E., Kochiyama, T., Kitada, R., Nakamura, S., Matsumura, M., Yonekura, Y.,

Sadato, N.: Internally simulated movement sensations during motor imagery activate cortical motor areas and the cerebellum. *The Journal of Neuroscience*, 22(9), 3683-3691, 2002,5.

Sadato, N., Okada, T., Honda, M., Yonekura, Y.: Critical period for cross-modal plasticity in blind humans: a functional MRI study. *Neuroimage*, 16(2), 389-400, 2002,6.

Kawakami, O., Kaneoke, Y., Maruyama, K., Kakigi, R., Okada, T., Sadato, N., Yonekura, Y.: Visual detection of motion speed in humans: spatiotemporal analysis by fMRI and MEG. *Human Brain Mapping*, 16(2), 104-118, 2002,6.

Muramoto, S., Uematsu, H., Sadato, N., Tsuchida, T., Matsuda, T., Hatabu, H., Yonekura, Y., Itoh, H.: $H_2^{15}O$ positron emission tomography validation of semiquantitative prostate blood flow determined by double-echo dynamic MRI: a preliminary study. *Journal of Computer Assisted Tomography*, 26(4), 510-514, 2002,7-8.

Omata, N., Murata, T., Takamatsu, S., Maruoka, N., Wada, Y., Yonekura, Y., Fujibayashi, Y.: Hypoxic tolerance induction in rat brain slices following hypoxic preconditioning due to expression of neuroprotective proteins as revealed by dynamic changes in glucose metabolism. *Neuroscience Letters*, 329(2), 205-208, 2002,8.

Kanosue, K., Sadato, N., Okada, T., Yoda, T., Nakai, S., Yoshida, K., Hosono, T., Nagashima, K., Yagishita, T., Inoue, O., Kobayashi, K., Yonekura, Y.: Brain activation during whole body cooling in humans studied with functional magnetic resonance imaging. *Neuroscience Letters*, 329(2), 157-160, 2002,8.

Toyohara, J., Hayashi, A., Sato, M., Tanaka, H., Haraguchi, K., Yoshimura, Y., Yonekura, Y., Fujibayashi, Y.: Rationale of 5- ^{125}I -iodo-4'-thio-2'-deoxyuridine as a potential iodinated proliferation marker. *The Journal of Nuclear Medicine*, 43(9), 1218-1226, 2002,9.

Kosaka, H., Omori, M., Murata, T., Iidaka, T., Yamada, H., Okada, T., Takahashi, T., Sadato, N., Itoh, H., Yonekura, Y., Wada, Y.: Differential amygdala response

during facial recognition in patients with schizophrenia: an fMRI study. *Schizophrenia Research*, 57, 87-95, 2002,9.

Sata, Y., Matsuda, K., Mihara, T., Aihara, M., Yagi, K., Yonekura, Y.: Quantitative analysis of benzodiazepine receptor in temporal lobe epilepsy: [¹²⁵I]iomazenil autoradiographic study of surgically resected specimens. *Epilepsia*, 43(9), 1039-1048, 2002,9.

佐藤哲大, 菅 幹生, 湊小太郎, 米倉義晴, 椋沢宏之: 局所的非対称性を考慮した頭部 MR 画像の対称軸検出アルゴリズム. *信学技法*, 49-54, 2002,9.

Muramoto, S., Uematsu, H., Kimura, H., Ishimori, Y., Sadato, N., Oyama, N., Matsuda, T., Kawamura, Y., Yonekura, Y., Okada, K., Itoh, H.: Differentiation of prostate cancer from benign prostate hypertrophy using dual-echo dynamic contrast MR imaging. *European Journal of Radiology*, 44(1), 52-58, 2002,10.

Uematsu, H., Maeda, M., Sadato, N., Ishimori, Y., Matsuda, T., Koshimoto, Y., Kimura, H., Yamada, H., Kawamura, Y., Takeuchi, H., Yonekura, Y., Itoh, H.: Measurement of the vascularity and vascular leakage of gliomas by double-echo dynamic magnetic resonance imaging: a preliminary study. *Investigative Radiology*, 37(10), 571-576, 2002,10.

Hanakawa, T., Honda, M., Sawamoto, N., Okada, T., Yonekura, Y., Fukuyama, H., Shibasaki, H.: The role of rostral Brodmann area 6 in mental-operation tasks: an integrative neuroimaging approach. *Cerebral Cortex*, 12(11), 1157-1170, 2002,11.

Nakashima, M., Tanese, N., Ito, M., Auerbach, W., Bai, C., Furukawa, T., Toyono, T., Akamine, A., Joyner, AL.: A novel gene, GliH1, with homology to the Gli zinc finger domain not required for mouse development. *Mechanisms of Development*, 119(1), 21-34, 2002,11.

Lewis, J.S., Herrero, P., Sharp, T.L., Engelbach, J.A., Fujibayashi, Y., Laforest, R., Kovacs, A., Gropler, R.J., Welch, M.J.: Delineation of hypoxia in canine myocardium using PET and copper(II)-diacetyl-bis (N⁴-methylthiosemicarbazone). *The Journal of Nuclear Medicine*, 43(11), 1557-1569, 2002,11.

Inoue, H., Furukawa, T., Giannakopoulos, S., Zhou, S., King, D.S., Tanese, N.: Largest subunits of the human SWI/SNF chromatin-remodeling complex promote transcriptional activation by steroid hormone receptors. *The Journal of Biological Chemistry*, 277(44), 41674-41685, 2002,11.

Nihashi, T., Kakigi, R., Okada, T., Sadato, N., Kashikura, K., Kajita, Y., Yoshida, J.: Functional magnetic resonance imaging evidence for a representation of the ear in human primary somatosensory cortex: comparison with magnetoencephalography study. *Neuroimage*, 17(3), 1217-1226, 2002,11.

Kurokawa, T., Yoshida, Y., Kawahara, K., Tsuchida, T., Fujibayashi, Y., Yonekura, Y., Kotsuji, F.: Whole-body PET with FDG is useful for following up an ovarian cancer patient with only rising CA-125 levels within the normal range. *Annals of Nuclear Medicine*, 16(7), 491-493, 2002,11.

Muramoto, S., Yamada, H., Sadato, N., Kimura, H., Konishi, Y., Kimura, K., Tanaka, M., Kochiyama, T., Yonekura, Y., Itoh, H.: Age-dependent change in metabolic response to photic stimulation of the primary visual cortex in infants: functional magnetic resonance imaging study. *Journal of Computer Assisted Tomography*, 26(6), 894-901, 2002,11.

Uematsu, H., Matsuda, T., Takahashi, M., Inoue, H., Hayashi, K., Yamada, H., Yonekura, Y., Itoh, H.: Susceptibility-induced changes in signal intensity from spin-echo versus gradient-echo sequences. *Clinical Imaging*, 26(6), 367-370, 2002,11-12.